



1999 '00 AUG 14 A9:47

Memorandum

1190 Borregas Avenue • Sunnyvale, CA 94089 • Tel (408) 541-4191 • Fax (408) 541-4192

To: Dockets Management Branch (HFA-305)
Food and Drug Administration
Reference Docket No. 00N-1394
From: Bill McMillan, Director of Biotechnology
Cepheid
Date: 11Aug00
Subject: Submittal of Written Comments for Public Workshop, August 14-15,
2000. CLIA Requirements

Statement from Cepheid:

"New nucleic acid-based analytical reagent systems have been recently developed by various groups which we now believe can challenge the relevance of certain current CLIA regulations regarding the use of external controls.

Cepheid is developing a system called the GeneXpert PCR Cartridge System that is intended for use in both the laboratory and at the point of care. It is comprised of an instrument and a single-use, disposable cartridge, and can be designed for both moderate complexity and CLIA-waived applications. The cartridge contains all sample preparation and assay-specific reagents, sealed waste chamber, and an integrated PCR reaction tube that is used for multiplex real-time, homogeneous fluorescence PCR. Specimen preparation and analysis are completely automated. The PCR reagent incorporates molecular beacons probes. The PCR reaction is continuously monitored by the instrument through optical windows located in the reaction tube. Since the cartridge is never opened during or after processing, all liquids remain sealed in the cartridge. Amplicon contamination of the laboratory or POCT environment is completely prevented.

For current PCR-based analyses, external negative and positive controls can never verify the performance of the reagents in reaction mixture of the test unknown itself. They can only verify the performance of the reagents in a batch. We believe that POCT applications must have totally internally controlled schemes to assure a valid, clinically-relevant result and to be cost-effective in terms of cartridge design and complexity. Based on existing technical feasibility data, we believe a molecular beacons-based multiplex reagent system containing an internal control and a thermal-optical probes check will together verify the analytical performance of the reagent and instrument for each and every specimen. This capability is completely unavailable in any other kind of analytical reagent system. Furthermore, Cepheid has the capability to assure that reagents are manufactured and assembled into sealed cartridges using processes validated to be free of contaminating target or amplicons.

We strongly urge that the requirements for external controls for moderate complexity devices be reconsidered, particularly where these new types of reagent systems can be applied."

00N-1394

00810clia

C3

FedEx USA Airbill

FedEx
Tracking
Number

8214 1990 1445

1 From This portion can be removed for Recipient's records.Date 8/11/00 FedEx Tracking Number 821419901445
Sender's Name Bill McKillan Phone 408 541-4191Company CEPHEIDAddress 1190 BORREGAS AVECity SUNNYVALE State CA ZIP 94089**2 Your Internal Billing Reference****3 To**
Recipient's Name _____ Phone _____Company Food & Drug AdministrationAddress 5630 Fishers Ln. Rm 1061

To "HOLD" at FedEx location, print FedEx address.

We cannot deliver to P.O. boxes or P.O. ZIP codes.

City Rockville State MD ZIP 20850

8214 1990 1445

0146051348

0215

Recipient's Copy

4a Express Package Service☒ FedEx Priority Overnight
Next business morning
☐ FedEx Standard Overnight
Next business afternoon
☐ FedEx First Overnight
Earliest next business morning
delivery to select locations
☐ FedEx 2Day*
Second business day
☐ FedEx Express Saver*
Third business day
*FedEx Envelope/Letter Rate not available
Minimum charge: One-pound rate**4b Express Freight Service**☐ FedEx 1Day Freight*
Next business day
☐ FedEx 2Day Freight
Second business day
☐ FedEx 3Day Freight
Third business day
*Declared value limit \$500**5 Packaging**☒ FedEx Envelope/Letter*
☐ FedEx Pak*
☐ Other Pkg.
Includes FedEx Box, FedEx Tube, and customer pkg.**6 Special Handling**☐ SATURDAY Delivery
Available for FedEx Priority Overnight and FedEx 2Day to select ZIP codes
☐ SUNDAY Delivery
Available for FedEx Priority Overnight to select ZIP codes
☐ HOLD Weekday at FedEx Location
Not available with FedEx First Overnight
☐ HOLD Saturday at FedEx Location
Available for FedEx Priority Overnight and FedEx 2Day to select locations
Include FedEx address in Section 3.

Does this shipment contain dangerous goods?

☐ No ☐ Yes
One box must be checked.
As per attached Shipper's Declaration
☐ Yes
Shipper's Declaration not required
☐ Dry Ice
Dry Ice, 9, UN 1845 x kg
Dangerous Goods cannot be shipped in FedEx packaging.
☐ Cargo Aircraft Only**7 Payment Bill to:**☒ Sender
Acct. No. in Section 1 will be billed.
☐ Recipient
Enter FedEx Acct. No. or Credit Card No. below.
☐ Third Party
☐ Credit Card
☐ Obtain Recip. Acct. No.
☐ Cash/Check

Total Packages

Total Weight

Total Charges

Credit Card Auth.

*Our liability is limited to \$100 unless you declare a higher value. See the FedEx Service Guide for details.

8 Release Signature

Sign to authorize delivery without obtaining signature.

By signing you authorize us to deliver this shipment without obtaining a signature and agree to indemnify and hold us harmless from any resulting claims.

Questions? Call 1-800-Go-FedEx (800-463-3339)

Visit our Web site at www.fedex.com

SRP 0900 • Rev. Date 3/00 • Part #155912 • ©1994-2000 FedEx • PRINTED IN U.S.A.

402